Good Practice Photo Contest

The Mekong Delta Program Steering Committee PC 1360071 5F Kameido Koto-ku Tokyo, Japan

--- --- ---

TEL +81-33683-9765, FAX: +81-33683-9766

Email: center02@toshc.org

Label the high-risk transfusion solution with a colored warning sticker to attract the attention of the medical staff.



Vietnam

Foot-operated sanitizer to minimize contact with objects.



Philippines

Establish waste management in the school environment.



Provide a negative pressure booth equipped with a push-pull ventilation system for COVID-19 patient tests.



Japan

Available Safety Box and PPE instruction in the local language at designated areas.



Provide a clear guide for visitors and health workers on the stairs by using signs (green for going up and red for going down).



Indonesia

Reuse plastic bottles to fabricate simple and solid book racks.



Provide participatory training for work improvement.




Isolate danger parts of a machine with clear signage.



Secure heavy iron equipment by inserting it into a styrofoam holder when not used to prevent it from

rolling off.



Korea

Well-organized hand tools at a worksite.



Design a safe and low-cost cabin to transport COVID-19 patients.



Design simple and easy-tounderstand leaflets to improve the communication of medication information to the patients.



Provide Providing wrist guards to nurses at blood donation sites.



Create teaching aids from used 15 cardboard materials.



Indonesia

Apply a wristband for simple and easy-to-distinguish patient identification.



Provide barriers pregnant women and the village midwife so that the midwife can provide Antenatal Care services safely.



Provide a feedback system (Quality of the healthcare services) from the patients by using 3 icons coins made from paper.



Apply telecommunication to improve the efficiency of medical guidance to the patients during the COVID-19 lockdown situation.



Attach a warning label to the 20 Attach a warning label subdivision container.



Perform exercise more than 3 times per week for 30 min.



Release stress by supporting each other (make compliments to each other).



Upcycling of disposable paper cups and plastic spoons in planting vegetables.



Provide a sanitizing station at home with proper labels and instruction to guide users.



Well-organized and labelled objects.



Provide a "home" for each tool and 26 work item.



Japan

Auxiliary local lighting installed in a factory with high ceilings (adjustable projection orientation with a string).



Use a hand-truck and wheeled devices 28 to carry water containers.



Encourage the labeling of containers used for blood and other specimens in the presence of the patient to avoid the misidentification.



Floor markers to ensure social/physical distancing and foot traffic.



Thank you for your participation!